

# Ledworks SRL

**SCOPE OF WORK**

EMC TESTING—Refer to page 3

**REPORT NUMBER**

190425162GZU-007

**ISSUE DATE**

[REVISED DATE]

11-September-2019

[29-July-2020]


**PAGES**

6

**DOCUMENT CONTROL NUMBER**

EN 62493:2015(EN 62311)-b

© 2017 INTERTEK



## TEST REPORT

Applicant Name & : Ledworks SRL  
Address : Via Calabiana 6, Milano 20100  
Manufacturing Site : Same as applicant  
Intertek Report No: 190425162GZU-007 Amendment 1

### Test standards

**EN 62493:2015**

### Sample Description

Product : LED Lighting Chains  
Models No. : Refer to page 3  
Electrical Rating : Refer to page 3-5  
Serial No. : Not Labeled  
Date Received : --  
Date Test : --  
Conducted

Prepared and Checked By



Daniel He  
Project Engineer

Approved By:



Helen Ma  
Team Leader

This report is for the exclusive use of Intertek's Client and is provided pursuant to the agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this report. Only the Client is authorized to permit copying or distribution of this report and then only in its entirety. Any use of the Intertek name or one of its marks for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. The observations and test results in this report are relevant only to the sample tested. This report by itself does not imply that the material, product, or service is or has ever been under an Intertek certification program.

Intertek Testing Services Shenzhen Ltd. Guangzhou Branch

Room 02, & 101/E201/E301/E401/E501/E601/E701/E801 of Room 01 1-8/F., No. 7-2. Caipin Road, Science City, GETDD,  
Guangzhou, Guangdong, China

## TEST REPORT

RE: Testing Pursuant to standard EN 62493:2015 Performed on the LED Lighting Chains, Models: TWS150STP-BEU, TWS150STP-BUK, TWS250STP-BEU, TWS250STP-BUK, TWS400STP-BEU, TWS400STP-BUK, TWS250SPP-BEU, TWS250SPP-BUK, TWS250SPP-TEU, TWS250SPP-TUK, TWS250GOP-BEU; TWS250GOP-BUK, TWI190STP-TEU, TWI190STP-TUK, TWI190SPP-TEU, TWI190SPP-TUK, TWI190GOP-TEU, TWI190GOP-TUK, TWF020STP-BEU, TWF020STP-BUK, TWS100STP-BEU, TWS100STP-BUK, TWS100STP-BFR, TWS150STP-BFR, TWS250STP-BFR, TWS400STP-BFR, TWS600STP-BEU, TWS600STP-BUK, TWS600STP-BFR, TWS250SPP-BFR, TWS250SPP-TFR, TWS400SPP-BEU, TWS400SPP-BUK, TWS400SPP-TFR, TWS250GOP-TFR, TWS400GOP-BEU, TWS400GOP-BUK, TWS400GOP-TFR, TWI190STP-TFR, TWI190SPP-TFR, TWI190GOP-TFR, TWF020STP-BFR, TWF020ADP-BEU, TWF020ADP-BFR, TWW210SPP-TEU, TWW210SPP-TUK, TWW210SPP-TFR, TWB200STP-WEU, TWB200STP-WUK, TWB200STP-WFR, TWC400STP-BEU, TWC400STP-BUK, TWC400STP-BFR, TWC400GOP-BEU, TWC400GOP-BUK, TWC400GOP-BFR, TWT250STP-BEU, TWT250STP-BUK, TWT250STP-BFR, TWT250GOP-BEU, TWT250GOP-BUK, TWT250GOP-BFR, TWT400SPP-BEU, TWT400SPP-BUK, TWT400SPP-BFR, TWT400STP-BEU, TWT400STP-BUK, TWT400STP-BFR, TWT400GOP-BEU, TWT400GOP-BUK, TWT400GOP-BFR, TWT500STP-BEU, TWT500STP-BUK, TWT500STP-BFR, TWT500GOP-BEU, TWT500GOP-BUK, TWT500GOP-BFR, TWR050SPP-BEU, TWR050SPP-BUK, TWR050SPP-BFR, TWG050SPP-BEU, TWG050SPP-BUK, TWG050SPP-BFR

Remark: the suffix of EU refers to Europe plug, UK refers to UK plug; FR refers to French plug

### Electrical Rating:

For drivers input: 220-240 V $\sim$ ; 50-60 Hz; Class II; SELV; independent,

For luminaire body of models TWF020STP-BEU, TWF020STP-BUK, TWF020STP-BFR;  
TWF020ADP-BEU, TWF020ADP-BFR

24Vdc; 1.0A; Class III; IP44; 40 pcs non-replaceable LEDs;

Adaptor model: DP045A24000100HK

Input: 100-240Vac, 50/60Hz, Max 0.6A

Output: 24Vdc, 1.0A

For luminaire body input of models TWR050SPP-BEU; TWR050SPP-BUK; TWR050SPP-BFR;  
TWG050SPP-BEU; TWG050SPP-BUK; TWG050SPP-BFR:

24 Vdc, 1.0A; Class III; IP44; 50 pcs non-replaceable LEDs

Adaptor model: DP045A24000100HK

Input: 100-240Vac, 50/60Hz, Max 0.6A

Output: 24Vdc, 1.0A

For luminaire body input of models TWS100STP-BEU, TWS100STP-BUK, TWS100STP-BFR:

**TEST REPORT**

24 Vdc, 1.0A; Class III; IP44; 100 pcs non-replaceable LEDs;  
Adaptor model: DP045A24000100HK  
Input: 100-240Vac, 50/60Hz, Max 0.6A  
Output: 24Vdc, 1.0A

For luminaire body input of models TWS150STP-BEU, TWS150STP-BUK, TWS150STP-BFR:  
24 Vdc, 1.0A, Class III, IP44; 150 pcs non-replaceable LEDs;  
Adaptor model: DP045A24000100HK  
Input: 100-240Vac, 50/60Hz, Max 0.6A  
Output: 24Vdc, 1.0A

For luminaire body input of models TWI190STP-TEU, TWI190STP-TUK, TWI190STP-TFR,  
TWI190SPP-TEU, TWI190SPP-TUK, TWI190SPP-TFR, TWI190GOP-TEU, TWI190GOP-TUK,  
TWI190GOP-TFR: 24Vdc, 1.0A; Class III, IP44, 190 pcs non-replaceable LEDs;  
Adaptor model: DP045A24000100HK  
Input: 100-240Vac, 50/60Hz, Max 0.6A  
Output: 24Vdc, 1.0A

For luminaire body input of models TWB200STP-WEU, TWB200STP-WUK, TWB200STP-WFR:  
24 Vdc; Class III, IP44, 200 pcs non-replaceable LEDs;  
Adaptor model: DP045A24000100HK  
Input: 100-240Vac, 50/60Hz, Max 0.6A  
Output: 24Vdc, 1.0A

For luminaire body input of models TWW210SPP-TEU, TWW210SPP-TUK, TWW210SPP-TFR:  
24 Vdc, 1.0A, Class III, IP44, 210 pcs non-replaceable LEDs;  
Adaptor model: DP045A24000100HK  
Input: 100-240Vac, 50/60Hz, Max 0.6A  
Output: 24Vdc, 1.0A

For luminaire body input of models TWT250STP-BEU, TWT250STP-BUK, TWT250STP-BFR,  
TWT250GOP-BEU, TWT250GOP-BUK, TWT250GOP-BFR, TWS250GOP-BEU, TWS250GOP-  
BUK, TWS250GOP-TFR, TWS250SPP-BEU, TWS250SPP-BUK, TWS250SPP-BFR, TWS250SPP-  
TFR, TWS250SPP-TEU, TWS250SPP-TUK, TWS250SPP-TUS, TWS250SPP-TAU, TWS250STP-  
BEU, TWS250STP-BUK, TWS250STP-BFR:  
24Vdc; 1.0A; Class III; IP44; 250 pcs non-replaceable LEDs;  
Adaptor model: DP045A24000100HK  
Input: 100-240Vac, 50/60Hz, Max 0.6A  
Output: 24Vdc, 1.0A

For luminaire body of models For luminaire body input of models TWT400SPP-BEU,  
TWT400SPP-BUK, TWT400SPP-BFR, TWT400STP-BEU, TWT400STP-BUK, TWT400STP-BFR,

## TEST REPORT

TWT400GOP-BEU; TWT400GOP-BUK, TWT400GOP-BFR, TWC400STP-BEU, TWC400STP-BUK, TWC400STP-BFR, TWC400GOP-BEU, TWC400GOP-BUK, TWC400GOP-BFR, TWS400GOP-BEU, TWS400GOP-BUK, TWS400GOP-TFR, TWS400SPP-BEU, TWS400SPP-BUK, TWS400SPP-TFR, TWS400STP-BEU, TWS400STP-BUK, TWS400STP-BFR  
24Vdc; 1.5A; Class III; IP44; 400 pcs non-replaceable LEDs;  
Adaptor model: XY36J-240150VH-BT  
Input: 100-240Vac, 50/60Hz, Max 0.5A  
Output: 24Vdc, 1.5A

For luminaire body input of models TWT500STP-BEU, TWT500STP-BUK, TWT500STP-BFR, TWT500GOP-BEU, TWT500GOP-BUK, TWT500GOP-BFR: 24 Vdc, 1.5A; Class III; IP44; 500 pcs non-replaceable LEDs;  
Adaptor model: XY36J-240150VH-BT  
Input: 100-240Vac, 50/60Hz, Max 0.5A  
Output: 24Vdc, 1.5A

For luminaire body input of models TWS600STP-BEU, TWS600STP-BUK, TWS600STP-BFR:  
24 Vdc, 1.5A; Class III; IP44; 600 pcs non-replaceable LEDs;  
Adaptor model: XY36J-240150VH-BT  
Input: 100-240Vac, 50/60Hz, Max 0.5A  
Output: 24Vdc, 1.5A

All model with the same Bluetooth and WIFI module

WIFI and BT cannot work simultaneously, during the normal operation the BT is off. It is needed only the first time to setup the controller.

## Report revision reason:

This report is the first revision of the previous test report 190425162GZU-007 dated 11 September 2019 and shall be used together with it.

This report was issued because of below changes:

Added 62 new models TWS100STP-BEU, TWS100STP-BUK, TWS100STP-BFR, TWS150STP-BFR, TWS250STP-BFR, TWS400STP-BFR, TWS600STP-BEU, TWS600STP-BUK, TWS600STP-BFR, TWS250SPP-BFR, TWS250SPP-TFR, TWS400SPP-BEU, TWS400SPP-BUK, TWS400SPP-TFR, TWS250GOP-TFR, TWS400GOP-BEU, TWS400GOP-BUK, TWS400GOP-TFR, TWI190STP-TFR, TWI190SPP-TFR, TWI190GOP-TFR, TWW210SPP-TEU, TWW210SPP-TUK, TWW210SPP-TFR, TWB200STP-WEU, TWB200STP-WUK, TWB200STP-WFR, TWC400STP-BEU, TWC400STP-BUK, TWC400STP-BFR, TWC400GOP-BEU, TWC400GOP-BUK, TWC400GOP-BFR, TWT500STP-BEU, TWT500STP-BUK, TWT500STP-BFR, TWT500GOP-BEU, TWT500GOP-BUK, TWT500GOP-BFR, TWT400SPP-BEU, TWT400SPP-BUK, TWT400SPP-BFR, TWT400STP-BEU, TWT400STP-BUK, TWT400STP-BFR, TWT400GOP-BEU, TWT400GOP-BUK, TWT400GOP-BFR, TWT250STP-BEU, TWT250STP-BUK, TWT250STP-BFR, TWT250GOP-BEU, TWT250GOP-BUK, TWT250GOP-BFR, TWR050SPP-BEU, TWR050SPP-BUK, TWR050SPP-BFR, TWG050SPP-BEU, TWG050SPP-BUK, TWG050SPP-BFR, TWF020STP-BFR, TWF020ADP-BFR into report.  
TWF020ADP-BFR as interconnected chain for TWF020STP-BFR.

## TEST REPORT

New models have similar electronic and mechanical structure with original model TWS400STP-BEU, the differences between them were LED quantity or LEDs or appearance.

Based on engineering judgment, it no need added test.

The production units are required to conform to the initial sample as received when the units are placed on the market.

\*\*\*\*\*End of Report\*\*\*\*\*